

Phone: (303) 494-7773

Fax: (303) 494-1104

Steamboat Office

940 Central Park Drive Suite 280 Steamboat Springs, CO 80487

Physiatry & Sports Physicians

Boulder Office

5387 Manhattan Circle #200 Boulder, CO 80303

time for IV administration.

Trust • Care • Excellence

RADIOFREQUENCY ABLATION INSTRUCTION SHEET

1. BLOOD THINNERS NEED TO BE STOPPED PRIOR TO ANY SPINAL INJECTION. YOU NEED TO COORDINATE WITH THE PRESCRIBING PROVIDER(S) TO ARRANGE FOR MANAGEMENT OF **BLOOD THINNERS.**

Please stop prior to procedure:		
		Aspirin stop 5 days prior to procedure
		Coumadin (Warfarin) stop <u>5 days</u> prior to procedure
		Eliquis and Xarelto stop 3 days prior to procedure
		Pradaxa stop <u>5 days</u> prior to procedure
		Plavix stop 7 days prior to procedure
		If you are currently taking other blood thinners, please discuss it with your provider
2. NOTIFY YOUR PROVIDER IF THERE IS ANY CHANCE THAT YOU ARE:		
		Pregnant
		Allergic to anesthetic, steroids, radiologic dye or latex
		Diabetic or have uncontrolled blood pressure problems
3.	ple	EASE STOP EATING 3 HOURS BEFORE THE PROCEDURE, unless you are diabetic and then ase discuss this rule with your provider before the day of the procedure. You may have clear liquids up if 1 hour before your appointment.
4.	You	u will need a driver to take you home. You must arrive 30 minutes prior to the scheduled appointment